



Optional accessories



Cap frame*

Embroider your caps effortlessly. The embroidery area is a generous 130mm x up to 60mm high (model code PRCF3).



Flat frame*

Jackets and other thicker materials are easily embroidered on the flat frame which measures 300mm x 200mm (model code PRF300).



Cylinder frame*

Embroider virtually anything that's cylindrical and normally difficult to sew. Cylinder frame 90mm wide x 80mm high. Material should have a minimum of 100mm open diameter (model code PRCL1).

* Additional purchase required.



PE-Next* & PE-Design Lite

Brother's family of embroidery design software, PE-light and PE-design, offer powerful features to suit both beginners and professionals alike.

Mechanical specifications

Machine type:

Sewing speed

Formats read:

Size:

Shipping weight:

Weight:

Electrical requirements:

Bobbin type:

Single-head, cylinder arm, six needles

1,000 stitches per minute

pes, .dst and .phc

512(W) x 589(D) x 586(H)mm

55 kgs

37 kgs

220~240V

L-size

For more information see your dealer or visit www.brothersewing.eu.


Contact:

brother[®]
at your side

Brother Sewing Machines Europe GmbH
Im Rosengarten 11, 61118 Bad Vilbel, Germany
www.brothersewing.eu

PR650e

brother®
at your side



PR650e Embroidery Machine

Achieve professional embroidery results quickly and easily with the Brother PR650e

- 200mm x 300mm embroidery area
- High definition ASV LCD touch screen
- Advanced natural lighting system
- Variable speed: 400 to 1,000 stitches per minute
- Automatic threading
- 25 built-in fonts
- USB ports (2.0/1.1)

Versatility, speed and professional finish




Group/ungroup

Combine designs and edit them as one or separate design elements and edit separately.

Forward/reverse +/- 500 stitches

Set back/forward over the design.



Advanced natural lighting system

The built-in LED lights provide effective natural lighting for your working area.



Six needles

Embroider multi-coloured designs quickly and easily. Automatic colour change allows you to pre-programme the colour sequence for the design. Upper and lower thread trimmers eliminate time-consuming trimming after the embroidery is complete.



Exclusive automatic needle threading

Simply press the automatic needle threading button and the upper thread will pass through the needle. It couldn't be easier!

Create full colour appliqués, perfect for badges and medallions



Link up to four PR650e Series and PR1000

Series machines and (Optional PE-Design® Next software required) monitor all machines from a single computer. Queue up to 100 designs.



Cylinder arm

The cylinder arm makes it easy to embroider items such as caps, tote bags, sleeves, trouser legs, etc.



Included embroidery frames

Choose the ideal embroidery frame for the job from the four different sizes included with the PR-650e (200mm x 300mm, 130mm x 180mm, 100mm x 100mm, 40mm x 60mm).



25 built-in fonts

Utilise the simplicity of the LCD touch screen and modify your projects with a range of lettering styles and text effects. This gives you the flexibility to add originality to your designs.



Customise designs on screen

Powerful customising capabilities include arranging text, pattern rotation in 1-degree increments, change design size, and the ability to combine designs and add lettering.



Versatile new features

Single colour embroidery. Convert multi-coloured designs to single colour. Registration marks for easy, continuous borders.